

MODEL	Type	Channels	Battery Size	Gain (dB) / MPO (dBSPL)	Fitting Range (dB)	Battery Life	Hearing Programs	MRP (per unit)
BASIC								
VOLTA PB	BTE	4	13	130/62	10-100	185	3	8,650
VOLTA PT	BTE	6	13	132/70	20-110	169	4	9,650
VOLTA HPT	BTE	6	675	140/72	20-120	200	4	9,990
MOBILE FITTING APP								
VOLTA PM	BTE	8	13	132/70	20-110	156	6	14,900
VOLTA HPM	BTE	8	675	140/79	20-120	200	6	14,900
PROGRAMMABLE								
VOLTA PC	BTE	8	13	134/70	10-110	145	4	16,490
VOLTA HPC	BTE	8	675	140/82	20-120	184	4	16,490
VEGA VOLTA C	ITC	8	312	118/50 118/55 124/65	10-90 10-95 15-100	102	4	17,900
SINA VOLTA C	CIC	8	10	113/50 118/55 124/65	10-80 10-95 15-110	57	4	17,900
TECH LEVEL 3 G4								
DUO 3 G4	BTE / THIN TUBE	12	13	130/60 126/53	10-100	203	4	25,500
P3 G4	BTE	12	13	134/70	10-110	145	4	25,500
HP3 G4	BTE	12	675	140/82	20-120	184	4	25,500
MOOD 3 G4	RIC	12	312	108/45 119/60 124/70	10-85 10-95 15-110	124 -112	4	25,500
VEGA HYPE 3 G4	ITC	12	312	118/50 118/55 124/65 131/71	10-80 10-95	140-102	4	25,500
SINA HYPE 3 G4	CIC	12	10	115/50 118/55 124/65 131/71	15-110 20-110	79-63	4	25,500

MODEL	Type	Channels	Battery Size	Gain (dB) / MPO (dB SPL)	Fitting Range (dB)	Battery Life	Hearing Programs	MRP (per unit)
TECH LEVEL 4 G4								
HP4 G4	BTE	16	675	140/82	20-120	210	4	35,500
MOOD 4 G4	RIC	16	312	108/45 119/60 124/70	10-85 10-100 15-110	124-112	4	35,500
VEGA HYPE 4 G4	ITC	16	312	118/50 118/55 124/65 131/71	10-80 10-95	140-102	4	35,500
SINA HYPE 4 G4	CIC	16	10	115/50 118/55 124/65 131/71	15-110 20-110	79-63	4	35,500
TECH LEVEL 6 G4								
HP6 G4	BTE	16	675	140/82	20-120	210	4	49,500
VEGA HYPE 6 G4	ITC	16	312	118/50 118/55 124/65 131/71	10-80 10-95	140-102	4	49,500
SINA HYPE 6 G4	CIC	16	10	115/50 118/55 124/65 131/71	15-100 20-110	79-63	4	49,500
TECH LEVEL 8 G4								
HP8 G4	BTE	24	675	140/82	20-120	210	6	99,900
VEGA HYPE 8 G4	ITC	24	312	118/50 118/55 124/65 131/71	10-80 10-95	140-102	6	99,900
SINA HYPE 8 G4	CIC	24	10	115/50 118/55 124/65 131/71	15-110 20-110	79-63	6	99,900

MODEL	Type	Channels	Battery Size	Gain (dB) / MPO (dB SPL)	Fitting Range (dB)	Battery Life	Hearing Programs	MRP (per unit)
TECH LEVEL 4 G5								
P 4 G5 (NEW)	BTE	16	13	135/77	10-100	102	4	40,000
MOOD 4 G5 (NEW)	RIC		312	108/45 119/60 124/70 130/75*	10-85 10-95 15-110 20-115	70-67		41,990
DUO 4 Li-ION G5 (NEW)	BTE/ THIN TUBE		Rechar- gable	63/134 56/126	15-100 15-85	19 hrs <small>(when fully charged without streaming)</small>		51,990
MOOD 4 G5 LI-ION	RIC		Rechar- gable	108/45 119/60 124/70 130/75*	10-85 10-95 15-110 20-115	19 hrs <small>(when fully charged with 5h. streaming)</small>		51,990
TECH LEVEL 6 G5								
P 6 G5 (NEW)	BTE	16	13	135/77	10-100	102	4	55,000
MOOD 6 G5 (NEW)	RIC		312	108/45 119/60 124/70 130/75*	10-85 10-95 15-110 20-115	70-67		56,990
DUO 6 Li-ION G5 (NEW)	BTE/		Rechar- gable	63/134 56/126	15-100 15-85	19 hrs <small>(when fully charged without streaming)</small>		67,990
MOOG 6 G5 LI-ION	RIC		Rechar- gable	108/45 119/60 124/70 130/75*	10-85 10-95 15-110 20-115	19 hrs <small>(when fully charged with 5h. streaming)</small>		67,990
TECH LEVEL 8 G5								
P8 G5	BTE	24	13	135/77	10-100	102	6	1,20,000
DUO 8 Li-ION G5 (NEW)	BTE/ THIN TUBE		Rechar- gable	63/134 56/126	15-100 15-85	19 hrs <small>(when fully charged with 5h. streaming)</small>		1,35,000
IDA HYPE 8 G5 (w)	ITC		312	118/55 124/65	10-95 15-110	86		1,20,000
SINA HYPE 8 G5	CIC		10	115/50 118/55 124/65	10-80 10-90 15-110	48		1,20,000

MODEL	Type	Channels	Battery Size	Gain (dB) / MPO (dB SPL)	Fitting Range (dB)	Battery Life	Hearing Programs	MRP (per unit)
TECH LEVEL 12 G5								
P12 G5	BTE	32	13	135/77	10-100	102	6	1,74,900
DUO 12 Li-ION G5 (NEW)	BTE/ THIN TUBE		Rechar- gable	63/134 56/126	15-100 15-85	19 hrs <small>(when fully charged without streaming)</small>		1,89,900
IDA HYPE 12 G5 (w)	ITC		312	118/55 124/65	10-95 15 -110	86		1,74,900
SINA HYPE 12 G5	CIC		10	115/50 118/55 124/65	10-80 10-90 15 -110	48		1,74,900
TECH LEVEL 16 G5								
P 16 G5	BTE	48	13	135/77	10-100	102	6	2,79,900
DUO 16 Li-ION G5 (NEW)	BTE/ THIN TUBE		Rechar- gable	63/134 56/126	15-100 15-85	19 hrs <small>(when fully charged without streaming)</small>		2,99,900
IDA HYPE 16 G5 (w)	ITC		312	118/55 124/65	10-95 15 -110	86		2,79,900
SINA HYPE 16 G5	CIC		10	115/50 118/55 124/65	10-80 10-90 15 -110	48		2,79,900



MODEL	Type	Channels	Battery Size	Gain (dB) / MPO (dB SPL)	Fitting Range (dB)	Battery Life	Hearing Programs	MRP (per unit)
TECH LEVEL 8 G6								
MOOD 8 G6 Li-ION (NEW)	RIC	24	Rechargeable	108/45 119/60 124/70 130/75*	10-85 10-95 15-110 20-115	19 hrs (when fully charged with 5h. streaming)	6	1,79,990
TECH LEVEL 12 G6								
MOOD 12 G6 Li-ION (NEW)	RIC	32	Rechargeable	108/45 119/60 124/70 130/75*	10-85 10-95 15-110 20-115	19 hrs (when fully charged with 5h. streaming)	6	2,29,990
TECH LEVEL 16 G6								
MOOD 16 G6 Li-ION (NEW)	RIC	48	Rechargeable	108/45 119/60 124/70 130/75*	10-85 10-95 15-110 20-115	19 hrs (when fully charged with 5h. streaming)	6	3,49,990
G6 Slimest RIC (New)								
STILINE 8 G6 (NEW) (Kit includes 2 units of stiline hearing instruments & a charger)	SLIM RIC	24	Rechargeable	108/45 119/60 124/70	10-85 10-95 15-110	19 hrs (when fully charged)	6	3,00,950
STILINE 12 G6 (NEW) (Kit includes 2 units of stiline hearing instruments & a charger)		32						4,16,950
STILINE 16 G6 (NEW) (Kit includes 2 units of stiline hearing instruments & a charger)		48						6,47,950

MODEL	Type	Channels	Battery Size	Compatibility	MRP (per unit)
CROS RIC G5	RIC		312	Compatible: with G5 products (TL 8 /TL 12/ TL 16)*	35,950

* HP receivers in RIC require customized UV shell

** Not compatible with custom

ACCESSORIES PRICE LIST

ACCESSORIES	COMPATABILITY	PRODUCTS / MODELS	MRP (per unit)
SMART KEY	G4 (TL 3-TL 16), G5 (TL 4-TL 16), G6 (TL 8-TL 16) & Volta (PC & HPC only)	P & HP BTE, RIC, Li -ION, ITC, CIC, STILINE BT	7,550
SMART MIC	G5 (TL 4- TL 16) & G6 (TL 8- TL 16)	P BTE, RIC, Li -ION, ITC (only Ida), STILINE G6	21,950
SMART TRANSMITTER 2,4	G5 (TL 4- TL 16) & G6 (TL 8- TL 16)	P BTE, RIC, Li -ION, ITC (only Ida)	19,350
SMART Li-ION POWER	G 4 (TL 6 - TL 16), G5 (TL 4- TL 16)	Li-ION	16,350
CHARGING STATION (with lid)	G4 (TL 6 - TL 16), G5 (TL 4- TL 16) & G6 (TL 8- TL 16)	Li-ION	11,990
SLIM-RIC CHARGING CASE	G5 (TL 4- TL 16)	STILINE BT	6,950
SLIM-RIC TRAVEL CHARGER	G6 (TL 8- TL 16)	STILINE G6	7,950
RIC receiver (S, M & P)	G4, G5 & G6	Mood, Mood Li-ION & STILINE G6	5,850
RIC receiver (HP)	G4, G5 & G6	Mood & Mood Li-ION	6,600



Products Accessories



The handy

SMART KEY

With the Smart Key, programs and volume can be easily adjusted. A keylock prevents buttons from being inadvertently pressed. A status LED indicates whether the remote control is enabled.



The compact

SMART MIC

The new Smart Mic enables hands-free telephone calls without your customer needing to pick up his/her smartphone. In challenging hearing environments, it can easily be used as an additional microphone.



The versatile

SMART TRANSMITTER 2.4

As an accessory for the Smart Connect, the Smart Transmitter connects electronic devices which do not have a *Bluetooth*® function with the Smart Connect. The push buttons on the top ensure easy and intuitive operation; the LEDs on the front indicate the current status of the transmitter.



The fast

SMART LI-ION POWER

Once the Sun Li-Ion hearing systems are placed in the charging station, the charging process starts automatically. Charging takes place inductively, that is, without direct contact. A complete charge takes approximately 4 hours. Even after just 30 minutes, the hearing systems are ready for another 7 hours of use. The three LEDs display the charging status of the hearing systems.



The comfortable

CHARGING STATION

The Charging Station: Not only easy to use for your customers, but also great for the environment. A full charge easily carries through the day, even with streaming music. And - if needed - a quick charge option ensures additional hours of functionality - with only thirty minutes charging time.



The on-the-go

SLIM-RIC CHARGING CASE

Stiline had to be more convenient, so we designed it with a wireless charger that allows your customers to charge the hearing device up to three time on-the-go.

The packet size charging case can also be used as a case to hold the hearing aids when they are not being worn.



The functional

SLIM-RIC TRAVEL CHARGER

Featuring an ultra-convenient Qi wireless charging system for the internal power back and advanced lithium-ion technology, the sleek and compact design provides up to four days hearing on-the-go.

The fat charge feature provides up to five hours wear time in just 30 minutes, while the case can be fully recharged in just three hours.

AUDIO SERVICE PRODUCT PORTFOLIO

FEATURES	G4			G5					G6		
	TL 3	TL4	TL6	TL 4	TL6	TL8	TL12	TL16	TL8	TL12	TL16
TECHNICAL FEATURES											
Signal Processing channels				16	16	34	34	48	24	32	48
Frequency Channels				8	8	12	16	20	12	16	20
AGC Channels				8	8	12	16	20	12	16	20
MPO Channels				8	8	12	16	20	12	16	20
Hearing Programs				4	4	6	6	6	6	6	6
MusicSelect						Std.*	1	3	1*	3	3
2earPhone						•*	•*	•*	•	•	•
EchoClear/ dereverberation								•			
Data Logging	•	•	•	•	•	•	•	•	•	•	•
Wireless											
AudioLink						•	•	•	•	•	•
Binaural Synchronization		•	•	•	•	•	•	•	•	•	•
Direct Audio Streaming iphone & (Android3)				•	•	•*	•*	•*	•	•	•
CROS/BICROS (Croos RIC G5/G6 require & for custom G5 quix G5 require)							•*	•*	•*	•	•
BASIC FEATURES											
Telecoil	•	•	•								
IP 67	•	•	•								
IP68- certified				•	•	•	•	•	•	•	•
SIGNAL PROCESSING											
Anti Feedback system	•	•	•	•	•	•	•	•	•	•	•
Noise Manager											
Automatic noise reduction	•	•	•	•	•	•	•	•	•	•	•
Wiener Filter	•	•	•	•	•	•	•	•	•	•	•
Adaptive Wind Noise Reduction binaural							•*	•*			
Adaptive Wind Noise Reduction					•	•*					
Impulse supressor			•		•	•	•	•	•	•	•
Auto-Situation adaption						•	•	•	•	•	•
MotionSense							•*	•*			
Selectronic							•*	•*	•	•	•
Motion Sensor									•	•	•
Audio Tronic multi-microphone system											
Panorama				•	•	•*	•*	•*	•	•	•
Directional Static	•*	•*	•*	•*	•*	•*	•*	•*	•	•	•
Automatic		•	•	•	•	•	•	•	•	•	•
Adaptive			•	•	•	•	•	•	•	•	•
Audio Focus 360								•*			•
Speech 360							•			•	
AudioDirSelect							•*	•*	•	•	•
SpatialSpot											
Audio Spot						•*	•*		•	•	
Frequency and dynamics concept											
Extended Dynamic Range			•	•	•	•	•	•	•	•	•
TRC'S	•	•	•	•	•	•	•	•	•	•	•
Selective frequency compression		•	•	•	•	•	•	•	•	•	•
HiFi Functionality								•			•
Auto Volume (Only in Direct Streaming mode)				•*	•*	•*	•*	•*	•	•	•
Programmable tinnitus function (support for tinnitus notch therapy)			•		•	•	•	•	•	•	•
AUTOMATIC FUNCTIONS											
Occlumatic						•*	•*	•*	•	•	•
Comfort 365		•	•	•	•	•	•	•	•	•	•
Intelligent acclumatic						•	•	•	•	•	•
Acclumatic				•	•	•	•	•	•	•	•
Comformatic						•	•	•			
HiRes Comformatic									•	•	•
APPS											
Smart Direct App				•	•	•	•	•			
with Hearing environment profile				•	•	•	•	•			
Audio Service App	•	•	•	•	•	•	•	•	•	•	•
Hear Control App				•	•	•	•	•			
Smart remote app	•	•	•								
with AudioDirSelect	•	•	•	•	•	•	•	•			

Programming	NoahLink WL (BLE)	G5 & G6
	connexxAir	G4 & G5
	connexxLink	G5
	Hipro 1,2	G4 & G5
	programming adaptor 10	G4
	programming adaptor 312	G4 & G5
	programming adaptor 13	G4 & G5
	Programming adapter Flex-Connect (IDA)	G5
	Programming cable SINA	G5

• Standard
 * Not available with custom products

Tech Level Finder

Operating convenience

Hearing comfort

Tech Level	Environment	Control options					Speech	At home	In company	At work	Outdoor	Music	Car driving	Parties	Theater/cinema
Technical features	-Battery charge function	-Automatic adjustment of volume and tone	-Connectivity	-Remote control	-Operation via Audio Service app	-Operation via push button/ rocker switch	-Speech comprehension	-Conversation -Television -Ringing (door, phone)	-Conversation with friends -At the restaurant	-Meeting -Open-plan office -Changing hearing situations	-Enjoying nature -Sports -Events	-Detailed sound experience -Sophisticated music enjoyment	-Conversation in a car	-Conversation in a noisy environment -Cocktail part	-Acoustic focusing
16															
12															
8															
6															
4															
3															
Volta															

THE WHOLE WORLD OF HEARING SYSTEMS BY AUDIO SERVICE.

Everyone's hearing is different. Audio Service offers solutions to suit your personal needs. Different designs and product features (Tech Level) help you find the hearing system that's right for you. The technical features offer you key advantages for hearing.

High-quality hearing systems contain a range of convenient functions which ensure a natural sound and perfect spatial hearing. To complement your hearing experience, a wide range of accessories is also available for greater ease of use.



Accessories depending on model.

Five designs - one aim.

CUSTOM

Custom hearing systems fit particularly discreet in the auditory canal. Handcrafted and manufactured individually for each ear.



SLIM-RIC

Slim-RIC hearing systems are ultra slim, innovative design hearing systems. They are worn inconspicuously behind the ear and the receiver (speaker) is located in the auditory canal.

RIC

Receiver-In-Canal hearing systems are worn behind the ear and the receiver (speaker) is located in the auditory canal. This ensures a natural sound experience.



BTE

Behind-the-ear-hearing systems rest snugly behind the concha, so they are very comfortable to wear and convenient to operate.

Terms & Conditions

1. All Audio Service hearing aids carry a **2 year national warranty & Accessories carry 1 year Warranty** against any manufacturing defects. Warranty will not be considered if Hearing Instruments & Accessories are damaged due to mishandling, physical damages, battery leakages, damages occurs due to ear wax, liquids, oil, etc.
2. RIC receivers carry **2 years warranty**. Warranty will not be considered if RIC receivers are damaged due to mishandling, physical damages, damages occurs due to ear wax, liquids, oil, etc.
3. Custom product prices includes shelling & customization charges. All RIC hearing aids prices includes S,M, & P receiver customization charges.
*Extra amount of Rs. 750 (Inclusive of all) will be charge for HP RIC receiver for Mood RIC & Mood Li-ion RIC.
4. All RIC / BTE intruments will be supplied in standard Beige colour. Specific colour housing options for RIC / BTE models.
5. One Inductive Charger will be free of cost with Binaural rechargeable hearing instruments.
6. This Pricelist supersedes all previous Price list.
7. This pricelist and Specifications are subject to change without prior notice.
8. We advice all our valued consumers to seek hearing care professional's opinion on the best suited hearing instrument. Online purchase may not necessarily give you the desired reuslts.
9. Hearing Instruments are exempted from GST, accessories prices are exclusive of applicable taxes.
10. The above prices are effective from.

Arphi[®] ELECTRONICS PVT. LTD.

Registered Office :

32 Corporate Avenue, A wing, 4th Floor, Near Paper Box Industries,
Off. Mahakali Caves Road, Andheri (E), Mumbai- 400093.

Tel.: (022) 4970 2305 / 4970 2306 / 4970 2307

Email : info@arphi.com

Costumer Care : 00000 00000



00000 00000

BRANCHES :

New Delhi :

203 Magnum House, Karampura Commercial Complex, Opp. Milan Cinema, New Delhi 110 015.

Tel.: (011) 2592 0312

Email : sales.delhi@arphi.com

Chennai :

Race View Tower, 2nd Floor, 71, Anna Salai, Guindy, Chennai - 600032.

Tel.: (044) 2250 0986, 2250 0987, 2250 1424

Email : sales.chennai@arphi.com

Find as on

• www.audioservice.com

• www.arphi.com



Arphi Electronics private limited



arphielectronics



Arphi Electronics



Arphi Electronics



www.youtube.com/watch?v=arphielectronics